

FL76 COVER

SEAL

FL76 FRAME




Category: **ACCESS COVER & FRAME - SEALED**

Product Description: 760mm x 760mm flat sealed composite cover with an aluminium frame.

Page No: **1**

Product Code: **FL76**

Date: **May 2013**



Load Rating	Cover Weight	Frame Weight	Cover Height ('A')
B125	18.5 kg	9 kg	63 mm
C250*	29 kg	12 kg	97.5 mm
D400	29 kg	12 kg	97.5 mm
Airport	41 kg	13.3 kg	97.5 mm
F900	50 kg	16 kg	97.5 mm

* Awarded British Standard Kite Mark



Category: **ACCESS COVER & FRAME - SEALED**

Product Description: 760mm x 760mm flat sealed composite cover with an aluminium frame.

Page No: **2**

Product Code: **FL76**

Date: **May 2013**


CONCRETE

VERY IMPORTANT

OUTER EDGE "A" OF FRAME SET 5MM ABOVE GENERAL FORECOURT AREA WITH CONCRETE RAMPED AWAY OVER 300MM


VERY IMPORTANT
 The underside of the frame must be adequately supported by concrete.

Expansion joint filled with petrol resistant mastic.




TYPICAL INSTALLATION

TARMACADAM



SETTS



Category: **ACCESS COVER & FRAME - SEALED**

Product: 760mm x 760mm flat sealed composite cover with an aluminium frame.

Description:

Page No: **3**

Product Code: **FL76**

Date: **May 2013**