


| Product Code | Cover Length DIM "A" (mm) | Weight (Kg) |
|-----------------|------------------------------|-------------|
| FM45-60-50/LD | 600 | 15 |
| FM45-70-50/LD | 700 | 18 |
| FM45-80-50/LD | 800 | 20 |
| FM45-90-50/LD | 900 | 23 |
| FM45-100-50/LD | 1000 | 25 |
| FM45-110-50/LD | 1100 | 28 |
| FM45-120-50/LD | 1200 | 30 |

| | Category: | TRENCH COVERS | | | | |
|-----------|-------------------------|--|----------------------------|-------|------------|--|
| | Product Description: | Light duty B125 load rating, composite trench covers. Capable of withstanding loads of up to 28,000lb / 12.58 tonnes. | | | | |
| FIBRELITE | Page No: | 2 | Drawing Code: FM/LD | Date: | April 2014 | |



| Product Code | Cover Length DIM "A" (mm) | Weight (Kg) |
|-----------------|------------------------------|-------------|
| FM45-60-76/LD | 600 | 11 |
| FM45-70-76/LD | 700 | 13 |
| FM45-80-76/LD | 800 | 15 |
| FM45-90-76/LD | 900 | 17 |
| FM45-100-76/LD | 1000 | 19 |
| FM45-110-76/LD | 1100 | 21 |
| FM45-120-76/LD | 1200 | 23 |
| FM45-130-76/LD | 1300 | 25 |
| FM45-140-76/LD | 1400 | 27 |
| FM45-150-76/LD | 1500 | 29 |
| FM45-160-76/LD | 1600 | 31 |




Category: **TRENCH COVERS**

3


| Product Light duty B125 load rating, composite trench covers. Capable of withstanding loads of up to 28,000lb / 12.58 tonnes. | |
|--|--|
|--|--|

Page No:

© COPYRIGHT



| Product Code | Cover Length DIM "A" (mm) | Weight (Kg) |
|-----------------|------------------------------|-------------|
| FM45-60-117/LD | 600 | 12 |
| FM45-70-117/LD | 700 | 14 |
| FM45-80-117/LD | 800 | 16 |
| FM45-90-117/LD | 900 | 18 |
| FM45-100-117/LD | 1000 | 19 |
| FM45-110-117/LD | 1100 | 21 |
| FM45-120-117/LD | 1200 | 23 |
| FM45-130-117/LD | 1300 | 25 |
| FM45-140-117/LD | 1400 | 27 |
| FM45-150-117/LD | 1500 | 29 |
| FM45-160-117/LD | 1600 | 31 |



© COPYRIGHT

